CrossRoad
TRAFFIC

TRAFFIC SAFETY PRODUCTS

CrossRoad Traffic is the leading end to end **Traffic Safety Solution Provider** that creates value for customers, people and society through its unique 360° approach.

The Company team has 25 years of experience in automotive sector, supplier of Mercedes Benz, combined with a focus on providing safe and efficient traffic safety products and services in compliance with respected authorities . We are in co-operation with our clients, develop optimal solutions by employing our vast experience of road projects.

We offer a full line of **Traffic Safety Solutions** including **Products** and **Services**. Our staff is committed to working with our customers, combining experience and vision to achieve maximum satisfaction and value with commitment to quality and safety.

Our products are specifically designed to prevent mishaps and accidents on the roads, our range is widely known among the clients for easy maintenance, strength, reliability, easy installation and longer functional life.
The quality certificates of our products are **ISO 9001: 2008** and **CE .**

Our Products

- Delineator Posts
- Traffic Cones
- Refuge Signs
- Ad Cones
- Solar Warning Lights
- Warning and Ad Posts
- Road Studs
- Lane Dividers
- Speed Ramps
- Tactile Walking Surfaces
- Traffic Signs
- Warning and Ad Signs
- Parking Corner Protectors
- Various types of Auxiliary Traffic Safety Products.

Our Services

- Road Safety Consulting
- Road Safety Research and Analysis
- Installation and Commissioning
- Highway Policy and Strategy
- Safety Training and Classes provided by Executive Team
- Road Safety Organizations
- Road Safety Marketing Communications
- Literature Reviews and Reports
- Survey and Data Analysis

Our R&D experts constantly work on the products for development and improvement in terms of better safety, protection, durability and better performance.

CrossRoad Traffic is your Partner with excellent knowledge:

- European standards approved products
- Fast delivery
- All from one hand service
- Modern production
- Use high quality raw material education service

Our company has sustainable and effective plans to build this business with a wide footprint across the World. As a Corporate philosophy, **CrossRoad Traffic** believes in alliances and partnerships and nurtures them to reach the customers with the right solutions.

REGISTERED COMPANY ISO 9001: 2008

CE

CR 2515	Flexible Delineator Post 750mm
Material	TPU
Height	750 mm
Ø (Top - Base)	90 / 220 mm
Color	
Weight	1,48 kg ± 0,1

CR 2517	Flexible Delineator Post 750 mm
Material	TPU
Height	750 mm
Ø (Top - Base)	110 / 220 mm
Color	
Weight	1,9 kg

CR 2513	Flexible Delineator Post 1000 mm
Material	TPU
Height	1000 mm
Ø (Top - Base)	80 / 220 mm
Color	
Weight	1,60 kg ± 0,1

CR 2516	Flexible Delineator Post 450 mm
Material	TPU
Height	450 mm
Ø (Top - Base)	90 / 220 mm
Color	
Weight	0,94 kg ± 0,1

CR 2507	Flexible Delineator Post 300mm
Material	TPU
Height	300mm
Ø (Top - Base)	80 / 220 mm
Color	
Weight	0,70 kg ± 0,1

CR 2501	Flexible Delineator Post 750mm
Material	TPU
Height	750mm
Ø (Top - Base)	80 / 220 mm
Color	
Weight	1,20 kg ± 0,1

CR 2502	Flexible Delineator 450mm
Material	TPU
Height	450mm
Ø (Top - Base)	80/ 220 mm
Color	
Weight	0,94 kg ± 0,1

Delineator Installation : By Screw and Anchor

Delineator Installation: Fixing by Epoxy Adhesive

CR 2505	Flexible Delineator Post 750 mm
Material	TPU
Height	750 mm
Ø (Top - Base)	70 / 220 mm
Color	
Weight	1,20 kg ± 0,1

CR 2506	Flexible Delineator Post 450 mm
Material	TPU
Height	450 mm
Ø (Top - Base)	70 / 220 mm
Color	
Weight	0,94 kg ± 0,1

Common Technical Features ·CR 2501 ·CR 2502 ·CR 2505 ·CR 2506 ·CR2507 ·CR 2513 ·CR2515 ·CR 2516	Extremely flexible TPU material Flexible, unbreakable and rebound body Strong Resistance to weather conditions -20° +60°C Sign attachable Yellow, orange colors are UV inhibited. Reflective sheetings are silver or white colors Excellent night-day visibility with microprismatic Reflective sheeting (PVC tape) Impact resistance and high performance
Color Options **Certificates** **Installation**	All Colors ISO 9001:2008 - CE Fixing surface by Ø 9 mm Screw and 16mm Anchor or by Epoxy Adhesive

CR 2503

CR 2504 CR 2503	Delineator Post 450 - 750 mm with Lane Seperator Base
Material	Base: PPC / Top : TPU
Base Size	1000 x 200 x 80 ± 5 mm
Color	
Base Weight	3.6 kg ± 0.2 kg.
Total Weight	4.1 kg. ± 0.2 kg. / 4.5kg. ± 0.2 kg.

CR 2504

CR 2508

CR 2509

CR 2510

CR 2510 CR 2511	Delineator Post 750 - 450 mm with Short Seperator Base
Material	Base: PPC / Top : TPU
Base Size	440 x 220 x 50 mm
Color	
Base Weight	1.27 kg ± 0.1 kg.
Total Weight	2.26 kg. ± 0.1 kg. / 1.88 kg. ± 0.1 kg.

CR 2511

CR 2508 CR 2509	Demountable Delineator Post 750-450 mm
Material	TPU
Height	750 mm
Ø Top	80 mm
Color	
Weight	1.02 kg. ± 0.1 kg. / 0,65 kg. ± 0.1 kg.

Common Technical Features ·CR 2503 ·CR 2504 ·CR 2508 ·CR 2509 ·CR2510 ·CR 2511	Extremely flexible TPU material Flexible, unbreakable and rebound body Strong resistance to weather conditions -20° +60°C Sign attachable Yellow, orange colors are UV inhibited. Reflective sheetings are silver or white colors Excellent night-day visibility with microprismatic Reflective sheeting (PVC tape) Impact resistance and high performance
Color Options **Certificates** **Installation**	All Colors ISO 9001:2008 - CE Fixing surface by Ø9 mm Screw and 16mm Anchor

CR 2602

CR 2601

CR 2605

CR 2601 CR 2602	Flexible Refuge Sign
Material	TPU
Height	850 mm
Ø (Top - Base)	200 mm
Color	■ ■
Weight	2 kg ± 0,1

CR 2605	Flexible Refuge Sign
Material	TPU
Height	1000 mm
Ø (Top - Base)	200 mm
Color	■ ■
Weight	2.20 kg ± 0,2kg.

Common Technical Features **CR 2601 · CR 2602 · CR 2605 · CR 2606 · CR 2607**	Extremely flexible TPU material Flexible, unbreakable and rebound body Strong resistance to weather conditions -20° +60°C Type 7 micro prismatic reflective Impact resistance and high performance UV inhibited black, red and other colors
Color Options **Certificates** **Installation**	All Colors ISO 9001 : 2008 CE Ø 9mm Screw and 16 mm Anchor

CR 2606 - R	Large Flexible Refuge Sign
Material	TPU
Height	1000 mm
Width	300 mm
Color	■
Weight	3,42 ± 0.2 kg.

CR 2607 - R	Large Flexible Refuge Sign
Material	TPU
Height	1000 mm
Width	300 mm
Color	■
Weight	3,42 ± 0.2 kg.

CR 2603	Flexible Refuge Sign With Seperator Base
Material	Base: PP Body: HDPE Stand: TPU
Body Size	1000 x 220 x 75 mm
Base Sizes	1000 x 220 x 50 mm
Weight / Body	3kg. ± 0,1kg.
Weight / Base	3kg. ± 0,1kg.

CR 2604	Flexible Refuge Sign With Short Seperator Base
Material	Base: PP Body: HDPE Stand: TPU
Body Size	1000 x 220 x 75 mm
Base Sizes	440 x 220 x 50 mm
Weight / Body	3kg. ± 0,1kg.
Weight / Base	1,24 kg.

Common Technical Features ·CR 2603 ·CT 2604	Flexible material stand and Base Type 7 micro prismatic reflective Strong resistance to weather conditions -20° +60°C Impact resistance and high performance UV inhibited black, Orange and other colors
Color Options **Certificates** **Installation**	All Colors ISO 9001:2008 - CE Ø 9mm Screw and 16mm Anchor



CR 2702	Guide and Information Sign
Material	Body : PVC / Cover : ABS
Size	75 x 150 mm
Height	Optional
Thickness	2 mm
Color	All Colors

CR 2701	Poll Mounted Refuge Sign (Box Type)
Material	ABS
Size	400 x 240 x 650 mm
Color	■
Weight	2 kg. ± 0,5 kg

CR 5001	Unbreakable Traffic Cone 500 mm (w/o Reflective)
Material	PVC
Size	285 x 500 mm
Color	
Weight	1.3 kg ± 0.1 kg.

CR 5002	Unbreakable Traffic Cone 500 mm (With Reflective)
Material	PVC
Size	285 x 500 mm
Color	
Weight	1.3 kg ± 0.1 kg.

CR 5003	Unbreakable Traffic Cone 750 mm (w/o Reflective)
Material	PVC
Size	385 x 750 mm
Color	
Weight	3 kg. ± 0.2 kg.

CR 5004	Unbreakable Traffic Cone 750 mm (With Reflective)
Material	PVC
Size	385 x 750 mm
Color	
Weight	3 kg. ± 0.2 kg.



CR 5005	Unbreakable Traffic Cone 750 mm (With Double Reflective)
Material	PVC
Size	385 x 750 mm
Color	
Weight	3 kg. ± 0.2 kg.

CR 5006	Unbreakable Traffic Cone 900 mm (w/o Reflective)
Material	PVC
Size	385 x 900 mm
Color	
Weight	3,6 kg. ± 0.3 kg.

CR 5007	Unbreakable Traffic Cone 900 mm (With Reflective)
Material	PVC
Size	385 x 900 mm
Color	
Weight	3,6 kg. ± 0.3 kg.

CR 5008	Unbreakable Traffic Cone 900 mm (With Double Reflective)
Material	PVC
Size	385 x 900 mm
Color	
Weight	3.6 kg. ± 0.3 kg.



Common Technical Features ·CR 5006 ·CT 5007 ·CR 5008	Full PVC unbreakable raw material Handle hook Strong resistance to weather conditions -20° +60°C Sign attachable Reflective sheeting PVC tape Excellent night-day visibility with microprismatic Impact resistance and high performance UV inhibited fluorescent red, orange colors
Certificates **Application**	ISO 9001:2008 - CE Usage with chain, light and panel

CR 5012	Traffic Cone 900 mm With Weighted Base and Double Reflective
Material	PVC
Size	385 x 900 mm
Color	
Weight	6,3 kg. + 0.2 kg.

CR 5013	Traffic Cone 750mm With Weighted Base and Double Reflective
Material	PVC
Size	385 x 750 mm
Color	
Weight	5,7 kg. ± 0.2 kg.

CR 5041	Octagonal Traffic Cone 700 mm (With Double Reflective)
Material	PVC
Size	390 x 700 mm
Color	
Weight	2,2 kg. ± 0.1 kg.

CR 5040	Hexagonal Based Traffic Cone 520 mm (With Double Reflective)
Material	PVC
Size	360 x 520 mm
Color	
Weight	1,7 kg. ± 0.1 kg.

CR 5014	Unbreakable HEAVY Traffic Cone 900 mm (With Double Reflective)
Material	PVC
Size	385 x 900 mm
Color	
Weight	4,7 kg. ± 0.1 kg.



CR 5025	ECO Plastic Cone 500 mm (with reflective paint)
Material	PE
Size	285 x 500 mm
Color	
Weight	3,79 kg ± 0.1 kg.



CR 5024	ECO Plastic Cone 500 mm (with reflective paint)
Material	PE
Size	285 x 500 mm
Color	
Weight	0,56 kg ± 0.1 kg.

CR 5009	ECO Traffic Cone 750 mm (w/o Reflective)
Material	PVC
Size	385 x 750 mm
Color	
Weight	2 kg ± 0.2 kg.



CR 5010	ECO Traffic Cone 750 mm (With Reflective)
Material	PVC
Size	385 x 750 mm
Color	
Weight	2 kg ± 0.2 kg.

CR 5011	ECO Traffic Cone 750 mm (With Double Reflective)
Material	PVC
Size	385 x 750 mm
Color	
Weight	2 kg ± 0.2 kg.

Common Technical Features ·CR 5001 ·CR 5002 ·CR 5003 ·CR 5004 ·CR 5005 ·CR 5006 ·CT 5007 ·CR 5008 ·CR 5009 ·CR 5010 ·CR 5011	Full PVC unbreakable raw material Handle hook Sign attachable Strong resistance to weather conditions -20° +60°C Reflective sheeting PVC tape Excellent night-day visibility with microprismatic Impact resistance and high performance UV inhibited fluorescent red, orange colors
Certificates **Application**	ISO 9001:2008 - CE Usage with chain, light and panel



CR 5020	Ad Cone With Reflective Cat Eyes (w/o Weighted Base)
Material	PPC
Size	350 x 500 mm
Color	■
Weight	1 kg. ± 0.1 kg.



CR 5021	Ad Cone With Reflective Cat Eyes (With Weighted Base)
Material	PPC
Size	350 x 500 mm
Color	■
Weight	4 kg. ± 0.2 kg.

CR 5022	Ad Cone With Reflective Cat Eyes (With Panel - w/o Weighted Base)
Material	Cone : PPC Sign:PP
Size (Cone)	350 x 500 mm
Size (Sign)	350 x 410 mm
Color	■ □
Weight	1,65kg. ± 0.1 kg.

CR 5023	Ad Cone With Panel and Weighted Base
Material	Cone : PPC Sign:PP
Size (Cone)	350 x 500 mm
Size (Sign)	350 x 410 mm
Color	■ □
Weight (Body)	1 kg. ± 0.1 kg.
Weight (Total)	4,7 kg. ± 0.2 kg.

Common Technical Features ·CR 5020 ·CR 5021 ·CR 5022 ·CR 5023	Durable PPC material Handle hook Sign attachable Strong resistance to weather conditions -20° +60°C Excellent Night vision with cat eyed reflector Weighted base can be attached Impact resistance and high performance
Color Options **Certificates** **Application**	Red and other colors. ISO 9001:2008 - CE Usage with chain, light and panel

CR 8501

CR 8502

CR 8501 / CR 8502	Solar Warning Light
Material	PC / ABS
Size	95 x 240 x 280 mm ± 5mm
Color	■ ■
Weight	0.8 kg. ± 0.1 kg.

CR 3121	Plastic Traffic Chain - Black & Yellow
Material	PP
Diameter	6 mm

CR 3120	Plastic Traffic Chain - Red & White
Material	PP
Diameter	6 mm

CR 3111	Plastic Traffic Chain - Yellow & Black
Material	PP
Diameter	8 mm

CR 3110	Plastic Traffic Chain - Red & White
Material	PP
Diameter	8 mm

CR 6004	Warning and Ad Post (With Weighted Base)
Material	PP + PE
Size	Ø 110 x 650 mm
Color	■ □
Weight	12 kg. ± 1 kg.

CR 6005	Warning and Ad Post (With Rubber Weighted Base)
Material	Rubber
Size	Ø 110 x 650 mm
Color	■ □
Weight	12 kg. ± 1 kg.



CR 6007	Warning and Ad Post (With Rubber Weighted Base and Panel)
Material	Rubber
Size (Body)	Ø 110 x 650 mm
Size (Panel)	350 x 410 mm
Color	■ □
Weight	12,7 kg. ± 1 kg.

CR 6006	Warning and Ad Post (With Weighted Base and Panel)
Material	PP + PE
Size (Body)	Ø 110 x 650 mm
Size (Panel)	350 x 410 mm
Color	■ □
Weight	12,7 kg. ± 1 kg.

CR 6003	Warning Post Thin (With Weighted Base)
Material	PP+PE
Size	Ø60 x 1000 mm
Color	■ □
Weight	4.5 kg. ± 0.5 kg.

CR 6001	Warning Post (With Weighted Base)
Material	PP+PE
Size	Ø110 x 1200 mm
Color	■ □
Weight	12.5 kg. ± 1 kg.



CR 6002	Warning Post (With Rubber Weighted Base)
Material	Rubber
Size	Ø110 x 1200 mm
Color	■ □
Weight	10,5 kg. ± 1 kg.



CR 6008	Warning Post-Thin (With Rubber Weighted Base)
Material	Rubber
Size	Ø60 x 1200 mm
Color	■ □
Weight	7 kg. ± 0.5 kg.

Common Technical Features ·CR 6001 ·CR 6002 ·CR 6003 ·CR 6004 ·CR 6005 ·CR6006 CR 6007	Strong resistance to weather conditions -20° +60°C Hardly fall down thanks to weighted base Max. night visibility with special reflective Products attachable It is made of durable PP+PE Durability and high performance When used with rubber weighted base It provides higher impact resistance
Certificates **Application**	ISO 9001:2008 - CE Usage with chain, light and panel

CR 3200	Road Stud (Oval Shape)
Material	PPC
Size	(L x W x H) 200 x 120 x 28 mm
Weight	200 gram
Color	
Features	Reflective Cat Eyes

CR 3201	Mini Road Stud
Material	PPC
Size	(L x W x H) 128x 88 x 30 mm
Weight	135 gram
Color	
Features	Reflector: Swareflex 7x4 Glass Beads

CR 3202	Flexible Lane Divider
Material	ABS + TPU
Size	160 x 260 x 280 mm
Weight	1,45 kg. ± 0,05 kg.
Color	
Features	Micro Prismatic Reflective

CR 3204	Flexible Lane Divider (Flap)
Material	TPU
Size	120 x 140 x 260 mm
Weight	0,60 kg. ± 0,05 kg.
Color	
Features	Micro Prismatic Reflective

CR 3203	Lane Divider Road Stud
Material	ABS
Size	160 x 260 x 40 mm
Weight	0,85 kg. ± 0,05 kg.
Color	
Features	Micro Prismatic Reflective

CR 3205	Road Separator Stud
Material	PPC
Size	440 x 220 x 50 mm
Weight	1,25 kg. ± 0,05 kg.
Color	
Features	Micro Prismatic Reflective

Common Technical Features ·CR 3200 ·CR 3201 ·CR 3202 ·CR 3203 ·CR 3204 ·CR 3205	Strong resistance to weather conditions -20° +60°C UV-inhibitor added colors Strong resistance raw material Micro prismatic reflective Max. night-day visibility Durability and high performance
Certificates **Installation**	ISO 9001:2008 - CE Ø9 mm Screw and 16 mm Anchor

CR 9020



CR 9021

High Impact Speed Ramps / Header	
Material	PPC
Size	350 x 250 x 50 mm / 285 x 500 x 50 mm
Color	
Weight	1.32 kg. / 350gr.

CR 9022

CR 9023

High Impact Speed Ramps / Header	
Material	PPC
Size	350 x 250 x 50 mm / 285 x 500 x 50mm
Color	
Weight	1.32 kg. / 350gr.

CR 3206	Long Road Separator Stud With Tempo Glass
Material	PPC
Size	1000 x 200 x 80 mm
Color	
Weight	4,5 kg. ± 0,05 kg.

CR 3207	Long Road Separator Stud
Material	PPC
Size	1000 x 200 x 80 mm
Color	
Weight	3,6 kg. ± 0,5kg.

CR 9025

CR 9024

Plastic Speed Ramps 500 mm / Header	
Material	PPC
Size	500x500x45 mm / 500x250x45 mm
Color	
Weight	3.13 kg. ± 0.1 kg. / 1.1 kg. ± 0.05 kg

CR 9026

CR 9027

Plastic Speed Ramps 500 mm / Header	
Material	PPC
Size	500 x 500 x 45mm / 500x250x45mm
Color	
Weight	3.13 kg. ± 0.1 kg. / 1.1 kg. ± 0.05 kg.

CR 9050	Plastic ECO Speed Ramp Header 600 mm
Material	PE
Size	285 x 500 mm
Color	■
Weight	3,79 kg ± 0.1 kg.

CR 9051	Plastic ECO Speed Ramp Body 600 mm (With 6 Reflectors)
Material	PE
Size	600 x 500 x 45 mm
Color	■
Weight	6 kg ± 0.1 kg.

CR 9009	Rubber Speed Ramp Header 600 mm
Material	NR / SBR
Size	600 x 300 x 45 mm
Color	■
Weight	3,5 kg ± 0.2 kg.

CR 9008	Rubber Speed Ramp Body 600 mm (With 6 Reflectors)
Material	NR / SBR
Size	600 x 500 x 45 mm
Color	■
Weight	10 kg ± 0.2 kg.

CR 9000

Rubber Speed Ramp Body 600 mm (With 6 reflectors)

Material	NR/SBR
Size	(L x W x H) 600 x 500 x 45 mm
Color	■
Weight	12 kg ± 0,1 kg

CR 9002

Rubber Speed Ramp Body 500 mm (With 4 reflectors)

Material	NR/SBR
Size	(L x W x H) 500 x 500 x 45 mm
Color	■
Weight	10 kg ± 0,2 kg

CR 9001

Rubber Speed Ramp Header 600mm

Material	NR/SBR
Size	(L x W x H) 600 x 300 x 45 mm
Color	■
Weight	4,5 kg ± 0,1 kg

CR 9003



Rubber Speed Ramp Header 500 mm

Material	NR/SBR
Size	(L x W x H) 500 x 300 x 45 mm
Color	■
Weight	3,5 kg ± 0,1 kg

CR 9004

Rubber Speed Ramp Body 400 mm (With 2 reflectors)

Material	NR/SBR
Size	(L x W x H) 400 x 500 x 45 mm
Color	■
Weight	7,5 kg ± 0,2 kg

CR 9006

Rubber Speed Ramp Body 300 mm (With 2 reflectors)

Material	NR/SBR
Size	(L x W x H) 300 x 330 x 40 mm
Color	■
Weight	3,5 kg ± 0,1 kg

CR 9005

Rubber Speed Ramp Header 400 mm

Material	NR/SBR
Size	(L x W x H) 400 x 250 x 45 mm
Color	■
Weight	2,5 kg ± 0,2 kg

CR 9007

Rubber Speed Ramp Header 300 mm

Material	NR/SBR
Size	(L x W x H) 300 x 150 x 40 mm
Color	■
Weight	1 kg ± 0,5 kg

Common Technical Features **CR 9000 ·CR 9001 ·CR 9002** **CR 9003 ·CR 9004 ·CR 9005** **CR 9006 ·CR 9007**	STRONG RESISTANCE TO WEATHER CONDITIONS -20° +60°C EFFICENT AND SMOOTH DECELATION WITH FLEXIBLE RUBBER MATERIAL REFLECTIVE TAPE WITH MAX. NIGHT VISIBILITY DURABILITY AND HIGH PERFORMANCE
Certificates Installation	ISO 9001 : 2008 CE Interlocked body and headers are fixed on road by Ø 9mm Screw and 16mm Anchor



CR 7001	Tactile Walking Surface - Attention Type (With Adhesive)
Material	TPU
Size	40 x 40 x 8 mm
Color	

CR 7002	Tactile Walking Surface - Guiding Type (With Adhesive)
Material	TPU
Size	40 x 40 x 8 mm
Color	



CR 7003	Tactile Walking Surface - Attention Type (Without Adhesive)
Material	TPU
Size	40 x 40 x 8 mm
Color	

CR 7004	Tactile Walking Surface - Guiding Type (Without Adhesive)
Material	TPU
Size	40 x 40 x 8 mm
Color	

Common Technical Features ·CR 7001 ·CR 7002 ·CR 7003 ·CR 7004	Non-Slip non odorous, easily cleaned Elastic TPU material (Shore 85) Resistance to acids alkali and other chemicals UV inhibited material with no discoloration Easy direction finding for visually impaired Strong resistance to weather conditions -20° + 60°C Long Durability and high performance
Certificates	ISO 9001:2008 - CE
Installation	Easy applicable with or without adhesive

CR 2901	No Parking (Double-faced)

CR 2902	Mandatory Direction Turn Left (Double - faced)

CR 2903	Mandatory Direction Turn Right (Double - faced)

CR 2904	Entry Prohibited

CR 2905	Stop

CR 2906	No Passing

CR 2907	Speed Limit

CR 2908	Speed Limit

CR 2909	Keep Right Ahead

CR 2910	Mandatory Direction Turn Left Ahead

CR 2900	Round Warning Sign

Round Warning Sign	
Material	PP
Size (Ø x H)	280 ± 5mm / 390 ± 5mm
Color	☐
Weight	0,24 kg ± 0,02 kg.

CR 4000	Portable Floor Sign - Without Print
Material	HIPS
Height	630 mm
Width (Top / Base)	215 x 340 mm
Color	■ □
Weight	1.21 kg.

CR 4001	Portable Floor Sign - With Print
Material	HIPS
Height	630 mm
Width (Top / Base)	215 x 340 mm
Color	■ □
Weight	1.21 kg.

CR 2800	Triangle Warning Sign

CR 2804	Two-way Traffic Ahead

CR 2805	Attention (Double-faced)

CR 2807	Road Work (Double-faced)

CR 4050	Rectangular Warning Sign

CR 2801	Road Narrows on Both Sides

CR 2802	Road Narrows from Right Sides

CR 2806	Speed Bump Ahead (Double-faced)

Rectangular Warning and Ad Sign	
Material	PP
Size	350 x 410 mm
Color	□
Weight	0.64 kg ± 0.04

Triangle Warning Sign	
Material	PP
Size	380 x 430 mm ± 5 mm
Color	□
Weight	0.38 kg ± 0.02

CR 7005	Parking Corner Protectors
Material	PVC
Size	90 x 80 x 780 mm
Color	■
Weight	1,9 kg. (± 0,1)
Installation	6 pcs of Screw 8x30 mm and Anchor
Features	Shock-absorbing, flexible, high visibility through strong retroreflectivity



CR 7006	Parking Corner Protectors
Material	PVC
Size	80 x 80 x 780 mm (± 5mm)
Color	■
Weight	1,9 kg. (± 0,1)
Installation	6 pcs of Screw 8x30 mm and Anchor
Features	Shock-absorbing, flexible, high visibility through strong retroreflectivity

CR 3115	Warning Tape
Length	500 m
Width	80 mm

CR 3116

Traffic Cone Weighted Base	
Material	PVC
Weight	2,0 kg. ± 0,10 kg.

CR 3117

Traffic Cone Weighted Base	
Material	PVC
Weight	1,0 kg. ± 0,10 kg.

CR 3104	Weighted Base for Ad Cone Warning Post
Material	PP
Size	330 x 50 mm
Color	■
Weight	3kg. ± 0,2 kg.



CR 3108	Weighted Base for Thin Warning Post
Material	PP
Weight	4 kg.

CR 3107	Rubber Weighted Base for Warning Post
Material	SBR / Rubber
Weight	9,3 kg.



CR 3106	Weighted Base for Warning Post
Material	PP
Height	9,7 kg.

CR 3102	Cone Handle
Material	PP
Color	■

CR 3109	Delineator Base (For Installing With Epoxy Adhesive)
Material	PP
Color	■
Weight	9,7 gr.

CR 3000	Panel Connection Tool
Material	DKP Galvanized Steel
Features	Together with M8 x 15 Geomet Coated Bolts

CR 3101-CR 3103	Delineator Connection Adapter
Material	PP
Diameter	70 - 80 mm
Color	■

CR 3112

Traffic Cone Adapter
For Installing Warning and Ad Signs, Panels and Solar Warning Lights

CR 3105

Installation Set (Ø16 Plastic Anchor + Washer + Screw)	
Material	PVC
Weight	2,7 kg. ± 0,10 kg.

CrossRoad TRAFFIC

CROSSROAD DANISMANLIK SAN. VE TIC. LTD. STI.

World Trade Center - EGS Business Park B2 Blok No:8 Zip: 34149

Yesilkoy/Istanbul/ Turkey

+90 212 560 15 05

+90 542 239 42 09

+90 212 465 30 83

www.crossroadtraffic.com

info@crossroadtraffic.com